

Work Order ID 137198

137198

Page 1

Thursday, September 24, 2015 1:56:57 PM

Item ID: D2894-1

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: 2.75 Support

Start Date: 9/23/15

Start Qty: 10.00

10

Cust Item ID:

Required Date: 9/23/15

Req'd Qty: 10.00

10

Customer:

Reference:

Approvals:

Process Plan:

MJS

Date: SEP 28 2015

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D2894

E

100

0.00

100

HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

0.09

HAAS CNC vertical machine #1

Machine as per Folio FA253
Tumble & DeburrDAS
44
9-29

15/11/25

110

0.00

110

QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

DAS
44
9-29

15/11/25

120

0.00

120

QC8- Inspect parts - second check

QC

Memo

0.00

Quality Control

DAS
20
9-29

15-11-26

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="width: 15%;">Skid-tube ☐</td> <td style="width: 15%;">Cross tube ☐</td> <td style="width: 15%;">Water Jet ☐</td> <td style="width: 15%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																															
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																				
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																				
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																				
Large Fab ☐	Composite ☐	Supplier ☐																																																																					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																																
Description Work Order Deviation				Disposition				Completed By																																																															
								Lead hand / Supervisor Approval Verification																																																															
								QC / QA Coordinator Approval																																																															
Root Cause <table style="width: 100%; border: none;"> <tr><td>Environment ☐</td><td>No Re-verification ☐</td></tr> <tr><td>Design ☐</td><td>Operator ☐</td></tr> <tr><td>Doc/Data ☐</td><td>Offset/Setup ☐</td></tr> <tr><td>Equip/Tooling ☐</td><td>Supplier ☐</td></tr> <tr><td>Handling/Pre ☐</td><td>Training ☐</td></tr> <tr><td>Material ☐</td><td>Use for Testing ☐</td></tr> <tr><td>Internal Transport ☐</td><td>Poor Information ☐</td></tr> <tr><td>Tribal Knowledge ☐</td><td>Rushing ☐</td></tr> <tr><td>LOA ☐</td><td>Product Improvement ☐</td></tr> <tr><td>Substation ☐</td><td>Process Improvement ☐</td></tr> <tr><td>Past Expiry Date ☐</td><td>Manufacturing Process ☐</td></tr> <tr><td>Misidentified ☐</td><td>Past Due ☐</td></tr> </table>		Environment ☐	No Re-verification ☐	Design ☐	Operator ☐	Doc/Data ☐	Offset/Setup ☐	Equip/Tooling ☐	Supplier ☐	Handling/Pre ☐	Training ☐	Material ☐	Use for Testing ☐	Internal Transport ☐	Poor Information ☐	Tribal Knowledge ☐	Rushing ☐	LOA ☐	Product Improvement ☐	Substation ☐	Process Improvement ☐	Past Expiry Date ☐	Manufacturing Process ☐	Misidentified ☐	Past Due ☐	FAULT CATEGORY <table style="width: 100%; border: none;"> <tr> <td style="width: 15%;">Pressure/Forced ☐</td> <td style="width: 15%;">Temperature/Cure ☐</td> <td style="width: 15%;">Power Loss/Surge ☐</td> <td style="width: 15%;">Positioned Wrong ☐</td> </tr> <tr> <td>Bending ☐</td> <td>Set-up ☐</td> <td>Folio/Program ☐</td> <td>Outside Dimensions ☐</td> </tr> <tr> <td>Centre Not Concentric ☐</td> <td>BOM/Route ☐</td> <td>Grain ☐</td> <td>Over/Under tolerance ☐</td> </tr> <tr> <td>Cracks ☐</td> <td>Broken/Damage/Defect ☐</td> <td>Weld ☐</td> <td>Part Incorrect ☐</td> </tr> <tr> <td>Crimp/Kink/Ripple/Wave ☐</td> <td>Inspection Incomplete/Unqualified ☐</td> <td>Wrong Stock Pulled ☐</td> <td>Part Lost/Missing ☐</td> </tr> <tr> <td>Cuffs ☐</td> <td>Contamination ☐</td> <td>Out of Sequence ☐</td> <td>Part Moved ☐</td> </tr> <tr> <td>Crushing ☐</td> <td>Countersink ☐</td> <td>Off-set ☐</td> <td>Drawing ☐</td> </tr> <tr> <td>Heat Treat ☐</td> <td>Cut Too Short ☐</td> <td>Mislabeled ☐</td> <td>Finish ☐</td> </tr> <tr> <td>Wave/Twist in Tube ☐</td> <td>Instructions Incomplete/Unclear ☐</td> <td>Fit/Function ☐</td> <td>Misread ☐</td> </tr> <tr> <td>Marks/Chatter ☐</td> <td>Drill Holes ☐</td> <td>Misaligned/off center ☐</td> <td>Turning Sequence ☐</td> </tr> </table>						Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Environment ☐	No Re-verification ☐																																																																						
Design ☐	Operator ☐																																																																						
Doc/Data ☐	Offset/Setup ☐																																																																						
Equip/Tooling ☐	Supplier ☐																																																																						
Handling/Pre ☐	Training ☐																																																																						
Material ☐	Use for Testing ☐																																																																						
Internal Transport ☐	Poor Information ☐																																																																						
Tribal Knowledge ☐	Rushing ☐																																																																						
LOA ☐	Product Improvement ☐																																																																						
Substation ☐	Process Improvement ☐																																																																						
Past Expiry Date ☐	Manufacturing Process ☐																																																																						
Misidentified ☐	Past Due ☐																																																																						
Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																																																																				
Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																																																																				
Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																																																																				
Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																																																																				
Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																																																																				
Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																																																																				
Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																																																																				
Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																																																																				
Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																																																																				
Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																																																																				
OTHER :																																																																							

Work Order ID 137198

137198

Page 2

Thursday, September 24, 2015 1:56:57 PM

Item ID: D2894-1

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: 2.75 Support

Start Date: 9/23/15 Start Qty: 10.00 ***10***

Cust Item ID:

Required Date: 9/23/15 Req'd Qty: 10.00 ***10***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: <u>LG51</u>	0.00							DAS
130						10			41
Packaging	Memo	0.00							9-26
Packaging	LOCATION : LG052								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.02							
Quality Control									

MLJ 15-11-27
MLJ 15-11-27

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							

Picklist Print

Thursday, September 24, 2015 1:56:57 PM

Page 1

Work Order ID: 137198

137198

Parent Item: D2894-1

D2894-1

Parent Item Name: 2.75 Support

Start Date: 9/23/15

Required Date: 9/23/15

Start Qty: 10.00

Required Qty: 10.00

Comments:

IPP: B02.11.26Added mask holeKJ
 IPP Rev:C ECN 993 07-11-07 DD verified by:EC
 IPP D 08.03.19 Re-format EC verified by DD IPP REV:E
 11.10.03 ASPER REV.C DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

DSK079		Manufactured	No			100	Each	8.0000	0.5	5			DAS
DSK079									**	5			20
D2894-1 Turning Detail													9-89 15-11-08

Location

Loc Qty

Loc Code

MAT060

8

126547

2

132240

6

5

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____			
Misidentified ☐	☐	Past Due ☐	☐				

DART AEROSPACE LTD		Work Order:	137198
Description: Ø2.750 Support		Part Number:	D2894-1
Inspection Dwg: D2894	Rev: E	Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5
HAAS Section								
AA	0.454	0.474		.463	.464	.461	.461	.462
AB	3.062	3.082		3.072	3.072	3.072	3.072	3.072
AC	0.053	0.073		.063	.063	.063	.063	.063
AD	1.766	1.786		1.775	1.775	1.778	1.778	1.774
AE	0.020	0.040		.020	.020	.025	.025	.025
AF	0.260	0.267		.261	.261	.261	.261	.261
AG	0.170	0.190		.180	.180	.180	.180	.180
AH	0.150	0.170		.160	.160	.160	.160	.160
AI	1.970	2.030		1.998	1.998	1.998	1.998	1.997
AJ	0.240	0.260		.250	.250	.250	.250	.250
AK	1.880	1.900		1.885	1.885	1.885	1.886	1.886
AL	0.500	0.505		.501	.501	.502	.502	.502
AM	0.188	0.194		.189	.189	.189	.189	.189

Ensure that Ø0.500" bore is perpendicular to 1.389" bore within 0.003"

Accept/Reject	0.0015	0.002	0.001	0.0015	0.001
----------------------	--------	-------	-------	--------	-------

Measured by:	DAS 44 9-89	Date:	15/11/24
---------------------	-------------------	--------------	----------

Audited by:	DAS 20 9-89	Date:	15-11-26
--------------------	-------------------	--------------	----------

Preliminary Approval:		Date:	
------------------------------	--	--------------	--

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	06.03.08	DT8708 added to dimension AM	KJ/JLM	
C	06.11.22	Note added to HAAS section	KJ/JLM	
D	08.04.22	Reformat; Dwg Rev updated	KJ/DD	
E	08.11.25	Dimensions updated per Dwg Rev. D	KJ/JLM	
F	09.05.04	Dimension AN (0.926) removed	KJ/JLM	
G	13.05.22	Dimensions updated per Dwg Rev. E	KJ	


DART AEROSPACE LTD		Work Order:	137198
Description: Ø2.750 Support		Part Number:	D2894-1
Inspection Dwg: D2894	Rev: E	Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

Dim	Min	Max	Go/No Go Gauge	Record Actual Dimensions				
				6	7	8	9	10
HAAS Section								
AA	0.454	0.474		.461	.464	.464	.461	.462
AB	3.062	3.082		3.072	3.072	3.072	3.072	3.072
AC	0.053	0.073		.063	.063	.063	.063	.063
AD	1.766	1.786		1.776	1.778	1.778	1.774	1.774
AE	0.020	0.040		.025	.025	.025	.025	.025
AF	0.260	0.267		.261	.261	.261	.261	.261
AG	0.170	0.190		.180	.180	.180	.180	.180
AH	0.150	0.170		.160	.160	.160	.160	.160
AI	1.970	2.030		1.997	1.997	1.997	1.997	1.998
AJ	0.240	0.260		.250	.250	.250	.250	.250
AK	1.880	1.900		1.885	1.885	1.884	1.887	1.884
AL	0.500	0.505		.502	.502	.502	.502	.502
AM	0.188	0.194		.189	.189	.189	.189	.189
Ensure that Ø0.500" bore is perpendicular to 1.389" bore within 0.003"								
Accept/Reject				.001	.003	.0005	.001	.002

Measured by:	44 9-89	Date:	15/11/25
Audited by:	DAS 20 9-89	Date:	15-11-26
Preliminary Approval:		Date:	

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	06.03.08	DT8708 added to dimension AM	KJ/JLM	
C	06.11.22	Note added to HAAS section	KJ/JLM	
D	08.04.22	Reformat; Dwg Rev updated	KJ/DD	
E	08.11.25	Dimensions updated per Dwg Rev. D	KJ/JLM	
F	09.05.04	Dimension AN (0.926) removed	KJ/JLM	
G	13.05.22	Dimensions updated per Dwg Rev. E	KJ	



D2894-1 Ø2.750 SUPPORT

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER


NO. 137198 MLS
15-09-28

RELEASED
2011-09-29
JUN


NOTES:

- 1) MATERIAL: 17-4 PH STAINLESS STEEL, H900 OR H925 CONDITION
PER ASTM A564 OR AMS 5643 OR AISI 630
MIN UTS = 170 KSI (38 HRC)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.010 TO 0.020 MAX
- 6) 0.50" WIDE x 1.56" LONG x 0.005" MIN HEIGHT FLAT,
WITH R0.25 RADIUS OF TRANSITION IN THIS AREA
IDENTIFY WITH DART LOGO AND PART NUMBER ON ONE
SIDE AND DART LOGO AND BATCH NUMBER ON OPPOSITE
SIDE USING 0.010-0.020 DEEP LETTERING
- 7) WEIGHT: 0.98 lbs



E	REMOVE PRIMER & UPDATE MAT'L SPEC (ZN A8-1), 2.00 WAS 2.000 (C3-2), 4.00 WAS 4.000 (C6-2), REF. CAR 11-51	CP	11.09.07
D	DRAWING REFORMATTED. POWDER COAT FINISH REMOVED. CHAMFERS ADDED TO TOP OF PART TO CLEAR ROCKER BEAM. PER BELL TECH BULLETIN 407-08-84. B5-2 0.261 HOLE WAS 0.257. B2-2 REAM FINISH INSTRUCTION ADDED.	AJS	08.11.06
C	ADD MASKING AND PRIME ONLY NOTES, REFORMATTED DRAWING.	DC	07.07.04
B	AS MANUFACTURED	CP	02.07.17
A	NEW ISSUE	CP	02.04.02
REV.	DESCRIPTION	BY	DATE
DESIGN	CP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AS		
CHECKED	AS	DRAWING NO.	REV. E
MFG. APPR.	AS	D2894	SHEET 1 OF 2
APPROVED	AS	TITLE	SCALE
DE APPR.	AS	Ø2.750 SUPPORT	NTS
DATE	11.09.07	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



SECTION A-A



SECTION B-B
(VIEW ROTATED 90°)



D2894-1 Ø2.750 SUPPORT

RELEASED
2011-09-29

DESIGN	CP	DART AEROSPACE LTD	
DRAWN	CP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AS	DRAWING NO. D2894	REV. E
MFG. APPR.	AS	TITLE Ø2.750 SUPPORT	SHEET 2 OF 2
APPROVED	AS	SCALE	NTS
DE APPR.	AS	COPYRIGHT © 2002 BY DART AEROSPACE LTD	
DATE	11.09.07	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCE OR TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	